\_\_elllustrated Catalogues\_\_

## Building Hardware.

J. B. SHANNON & SONS,

1009 Market Street, 1009
PHILADELPHIA, PENNA.



#### \_\_@Illustrated Catalogue®\_\_

OF

### BUILDING HARDWARE.

J. B. SHANNON & SONS,

1009

Market Street,


1009

PHILADELPHIA, PENNA.



#### MORTISE KNOB LOCKS.

No.		Size.	Mortise Knob Locks.	Per Doz. Without Knobs
0.	$3\frac{1}{2}$		Iron Front, Iron Bolt, Bronzed Key	
1.	$3\frac{1}{2}$		Iron Front, Iron Bolt, Tinned Key.	2.00
2.	31	46	Iron Front, Iron Bolt, Brass Key	2.65
3.	$3\frac{1}{2}$	"	Brass Front, Brass Bolt, Brass Key.	5.50
5.	4	• 6	Iron Front, Iron Bolt, Brass Key	4.15
6.	4	6.6	Brass_Front, Brass Bolt, Nickel-Plated Key	



# RIM KNOB

.;	q	15	2 9	2 12	2 9	100	9 10
Per Doz.	Without Knob	7	6	ion	4	6.15	9
$\operatorname{Per}$	non						
	Vitt	^					
		Ke		Ke			Key
KS.		ron	Υ.	COL		:	on
Š		J.	Ke	d I	Key	;	I Ir
Kim Knob Locks.		nne	" Brass Key.	Tinned Iron Key 3.65	Brass Key	;	" Iron " Tinned Iron Key 6.75
ž		Ti	Br	Ti	Br	•	Tin
E .		30lt	;	;	;	;	:
_		un I				ass	nc
		Ĕ	3	,	:	$\tilde{\mathbf{B}}$	Ir
	ن.	90. 4 inch Iron Bolt, Tinned Iron Key \$175	;	92. 4½	;	;	:
	No. Size.	<del>-,</del>	91. 4	$\frac{41}{2}$	77	菜	2
	o Z	90.	91.	95.	93.	94.	95.

# . B. SHANNON & SONS,


1009 MARKET STREET

#### STORE DOOR LOCK AND LATCH WITH HANDLES.




<b>45.</b>	Ornamental	Kanasa prouze with Flat Front Lock	\$3.5
10.	••	Kanala Bronze with % inch Rabbeted Lock	4.2
47.	6.6	Real Bronze with Flat Front Lock	6.0
49,	**	Real Bronze with ½ inch Rabbeted Lock	6.7

#### DOOR KNOBS.



No.	Size							PER DOZ.	PAIRS.
360.	$2\frac{1}{4}$ ,	Mineral	Door	Knobs,	Japanned	Rosc,	for	Mortise Locks	\$0.95
361.	$2\frac{1}{4}$ ,	4 6	" "		- "	"	"	Rim Locks	.95
365.	$2\frac{1}{4}$	Porcela	in''	"	Porcelain	Rose,	for	Mortise Locks	3.25
366.	$2\frac{1}{4}$ ,	4.6		"	"		"	Rim Locks	3.25
369.	$2\frac{1}{4}$ ,	"		" "	Japanned	Rose,	for	Mortise Locks	1.20
370.	$2\frac{1}{4}$ ,	6 6	6 6	"	"		• •	Rim Locks. Mortise Locks Rim Locks.	1.20
	-					(5	)		


# B. SHANNON & SONS,



PER DOZEN Knobs. Bronze Shank Door tal Rose. Ebony 374

1009 Market St., Philad's

# J. B. SHANNON & SONS,




1009 Market St., Philad'a.



#### ESCUTCHEONS.

NO.					DOZ. PAIR.	PER PAIR.
395.	Berlin	Bronze Escu	tcheons			.15
396.	Real	 ain Escut <b>c</b> he				.18
362.	Porcela	ain Escut <mark>c</mark> he	ons $\frac{3}{4}$ inch	Keyhol	le50	.08
363.	6.6	6.6				.08
364.	4.6		1 "	6.6	50	.08

J. B. SHANNON & SONS, 1009 MARKET St., PHILAD'A.



Cast Iron Narrow Butts.


No. 255. P.A.Str JOINT. Per Doz. Patr, with Screws. S0.30 S22 S73 S73 S75	No. 240, Loose Joints. Per Doz, Pair, with Screws. Per Pair, with Screws. 30.45 30.46 30.08 30.08 30.08 30.08
with 0.06 0.08 0.09	% 6.06 1.08 1.08 1.18
Pair,	Pair
Per Per	Per Per
Joi ws.	Joi ews.
Scre	Scr
1.45 1.35 1.85 1.85 1.85 1.85	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ુ.≒	2i
Z. Pa	No. 7. Pa
و 0	ద్ది : : : :
ڪّ :	Рег
Inch. Per	Inch. Per
=	=

Cast Iron Broad Butts. No. 245. I

Per Pair, with Screws.	50.57	1.2	91.	.20	.25	38.	
Per Doz, Pair, without Screws. Per Pair, with Screws.	00.00	: S	1.20	1,50	2.10	2.85	
Inch. Per Doz	. X 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2/2 N 2/3.	31,5 x 31,	4 X 4	4½ x 4½	5 x 5	

LOOSE JOINT. .. \* Crows. Per Pair, with Screws. No. 250. Pair, with

•						
\$0.0s	97.	.12	.I5	.17	8.	.27
\$0.45	09.	.75	1.05	1 30	1.70	2.30
	2½ x 2½	3, x 3,	3½ x 3½	4 x 4	4½ x 4½	5 x 5



### BUTIS PIN LOOSE CAST IRON

PLAIN IRON, LOOSE PIN ACORN BUTIS For Right or Left Hand Doors. No. 262


(10)

inch. 2.65 98. JAPANNED IRON, LOOSE PIN ACORN BUTTS nch. 11/2 x 41/2 1.90 21/2x21/2 3x3 31/2x31/2 4x4 1.30 18 1.10 5 Z 2 89.63 2 n pairs, withoutScrews with Serews... pair, dozen No. 263. Sizes Per

3.20 5x5 JAPANNED IRON, PLATED ACORN TIPS 41/2×41/4 2.50 5.00 21/2x21/2 3x3 31/2x31/2 4x4 3 1.60 3 1.40 8 \$1.20 æ. withoutScrews pairs. Serews..... Sizes.... Per dozen No. 266. Per

5x52.8 3 inch. 2½x2½ 3x3 3½x3½ 4x4 4½x4½ 4.00 8 3.40 3.00 8 2.50 8 \$2.40 with without Screws Per dozen pairs, Screws pair, Sizes

PHILAD'A SHANNON ST., 1009 MARKET



#### COPPER BRONZED LOOSE PIN BUTTS.


No. 273.

100	For Right or Left Hand Doors.	A very good imitation of
ij.	real Bronze.	

1	101111111111111111111111111111111111111				i	nch.
į,	Sizes	3x3	$3\frac{1}{2}x3\frac{1}{2}$	4x4	$4\frac{1}{2}$ x $4\frac{1}{2}$	5x5
	Per pair, with Screws	\$0.50	.60	.65	.70	.85

No. 270.

Plain Finished Hinge, Copper Bronzed.



#### ORNAMENTAL BRONZE BUTTS.

No. 275.


#### BERLIN BRONZED LOOSE PIN BUTTS.

Sizes	3x3	$3\frac{1}{2}x3\frac{1}{2}$	4x4	$4\frac{1}{4} \times 4\frac{1}{2}$	5x5 inch.
Per pair	\$0.55	.60	.70	.75	.85

No. 274.

#### REAL BRONZE LOOSE PIN BUTTS.

Sizes	3x3	$3\frac{1}{2}x3\frac{1}{2}$	4x4	$4\frac{1}{2}$ x $4\frac{1}{2}$	5x5 inch.
Per pair	\$1.20	1.40	1.70	2.10	2.40



LULL & PORTER SHUTTER HINGES 1.251.00

## SONS SHANNON


1009 MARKET ST., PHILAD'A.

#### CEM SPIRAL SPRING BUTTS.

Being Reversible, the same Butts can be used for either Right or Left Hand Doors.

· ·					Fla	ing	h of	No.	Single acting. Japanned. Per Pair.	Ja No.	ble acting panned. Per Pair.	
		light Sc						340		346	\$1.40	
42 1 2 1	"	1 to 1	inch		6.6		"	341	.80	348	1.60	
I I -	66	1 to 1	inch	6.6	6 6	5	6.6	342	1.00	348	2.00	
The Second study	66	1 to 1	inch	6.6	1.6	6	4 6	343	1.40	-349	2.80	
一 一 一 一 一 一 一 一 一	6.6	1 to 1 ?	inch	"	6.6	7	6 6	344	1.80	350	3.60	
0	"		inch		"	8	4.4	345	2.60	351	5.25	


DOUBLE ACTING.




#### WROUGHT IRON LIGHT BUTTS.


FOR INSIDE SHUTTERS.

COPPER BRONZED.




Size. No. 295.							Per Doz. Pair, with Screws.
2 inch, 21/4 " 21/2 "	Bronzed	Shutter	Butt				75
No. 296.	**			BAC	 к Flai	······································	,90
11/2 inch,	Bronzed	Back F	laps		• • • • • •		\$0.60 65
13% "	(15	i)		• • • • • •	•••••		70






	N	o. 420.		SASH L	IFTS.	Nos. 421 a:	nd 422.	
No.		_				Per	Gross.	Per Doz.
420.	Berlin	Bronzed	Sash Lif	fts			\$2.25	\$0.25
421.	"		**				2.75	.30
422.	Real	"	" "					1.25
					(16)			

#### SHUTTER BARS.




No.							Per	Dozer	1
455.	Berlin Bronzed	Shutter	Bars	 	 • • • • •	 	 	. \$0.3	30
<b>4</b> 56.	Real Bronze	* *	"	 	 	 	 	1.3	55

(17)



No. 436. Berlin Bronzed Sash Fasteners..... \$0.60

#### MORRIS'S SASH LOCK.




No.	DESCRIPTION.	Price per Dozen.	Each.
1.	Japanned Iron	trice per 150zen,	
3	Paul Bronne with Course	\$1.35	\$0.18
٠.	Real Bronze, with Screws.	4.50	.45
Э.	Ornamental Berlin Bronzed, with Screws	2.75	.28
40.	Ornamental Real Bronze, " "	5.00	
	(10)	5,00	.50
	(19)		

#### SILVER LAKE BRAIDED SASH CORD.

White Cotton Braided Sash Cord	14 inch. Per Hank of 100 feet. \$0.90 1.00	5-16 ineh. Per Hank of 100 feet, \$1.25 1.35
SHOE THREAD	Stor Conn	
Shoe Thread Sash Cord, $\frac{1}{4}$ inch		Per Hank of 180 feet. \$1.50 
India Hemp S	ash Cord.	
India Hemp Sash Cord, $\frac{1}{4}$ inch		Per Hank of 100 feet. \$0.45 
. Kentucky Flam		feet. Pieces of 30 feet.
Kentucky Flax Sash Cord, Common Best Patent		\$0.18 .20

## Jopper Sash Chain SASH HEAVY FOR



(21)

# CHAMPION CHAIN.

PER FOOT.	\$0.0\$	.07
_	•	
	:	:
	:	
	lbs	,
	13	40
	$_{\rm of}$	
	$\mathbf{Sash}$	"
	ಡ	
	$_{\rm for}$	
	No. 1 Chain for a Sash of 75 lbs \$0.08	:
	_	C5
	No.	No.

Sash Attachments, and Weight. Hooks

Special price for orders of 100 feet.


# & SONS B. SHANNON

Philad'a 1009 Market Street,

#### NAILS.

	Pl	ER KEG.
10d. to 60d. Nails ar	d Brads, Base Price	. \$3.00
8d. Nails and Brads.	extra	25
6d. and 7d. Nails.	44	50
4d. and 5d. Nails.	(4	75
3d. Nails.	"	1.50
3d. Fine Nails	44	6.25
Snikes all sizes	(1	. 0.20
Dinishing Notice &	.00 per Keg higher than same size cut Nails.	20
rinisning Naiis, \$	.00 per Keg nigher than same size cut Naiis.	

#### SASH WEIGHTS.






SQUARE.

PER LB. 

In ordering Sash Weights please state if Square or Round Weights are wanted. Lead Sash Weights and special size Iron Sash Weights made to order at short notice.



#### BARN DOOR HANCERS AND RAIL.




No. 210.					
Size of Wheel	3	4	5	6	inch.
Per pair, with Screws		.60	.85	1.15	
Barn Door Rail, per foot				.04	
(24)					

#### SHANNON'S IMPROVED SHEAVES FOR HANGING SLIDING DOORS.



6 inch No. 1 Sheaves	\$1.25
4 inch No. 2 " " " " " " " " " " " " " " " " " "	1.10
Rail 2 x $\frac{1}{4}$	.16
(07)	



#### Prescott's Brace Hangers for Inside Doors.

PRICE OF BRACE HANGERS.

			Price of
	Length of	Width of	BraceHanger
Size.	Hanger.	Door,	Each Door.
No. 1	4 ft. 6 in	. 2 ft. 6 in	
No. 2	5 ft. 3 in	3 ft	4.25
No. 3	6 ft	3 ft. 6 in	5.25
No. 4	4 ft. 9 in	4 ft	6.25
	7 ft. 6 in		

Rules for Ordering Brace Hangers.—State width, height and thickness of doors, and whether hard wood or

pine.

Brace Hangers can be used on either side of a partition, or in pockets, especially when there is not space enough for Balance Hanger Weights.

Brace Hangers are made right and left hand. For opening doors, right hand made to the right, and left hand to the left when facing that side of door on which Hanger moves.

The Hangers must always be at least four inches less in length than the height of door.


If doors are very heavy, it is best to use hangers one size larger than given in the table. (26)

#### ICE-HOUSE DOOR FASTENER.

#### PATENTED 1879.

It closes the door absolutely air tight. Insures a lower and dryer temperature than by any other means.

No. 1. 12 inch Lever.....



For Packing Houses, Breweries and very large Ice-Houses.

E- Det les Hutel- Cheem Boots Commission Houses eta

JAPANNED.

GALVANIZED.

No matter how cheap Ice may be, they WILL SAVE more than TEN times their cost in one season alone.

BRASS.

NICKEL-PLATED.

\$4.50 each.

	FOI DUICHEIS.	models, Steam Do	ato, commission i	LIOUSCO, CIC.	
	,	JAPANNED.		BRASS.	NICKEL-PLATED.
No. 2	9 inch Lever	\$1.10	1.35	2,50	$3.00  \mathrm{each}$ .
2.01.	For Bun	ker Doors, and o	n the Larger Beer	Boxes.	
		JAPANNED.	GALVANIZED.	BRASS.	NICKEL-PLATED.
No 3	. 6½ inch Lever	\$0,65	,85	1.35	1.75 each.
	F	for Lager Beer an	d Family Boxes.		
		JAPANNED.	GALVANIZED.	BRASS.	NICKEL-PLATED.
No. 4	51% inch Lever	\$0.35	.45	1.00	1 25 each.
	, 2		7)		

#### FLAT HEAD IRON SCREWS.




% inch	4	5	6
Per Gross	80.11	\$0.13	\$0.14
3/4 inch	7	8	9
1'er Gross	.17	.19	.21
1 inch	9	10	12
Per Gross	,26	.28	.36
1½ inch	10	11	12
Per Gross	.34	.37	.42
1½ inch	12	13	14
1'er Gross	.48	.55	.62
2 inch	16	18	20
Per Gross	.83	.99	1.14
40 4 3 4 3 6 40 7			

10 per cent discount on orders for 10 Gross.

#### FRAME PULLEYS.


NO.	SI	ZE.				Pl	ER DOZEN
640.	$1\frac{3}{4}$	inch	Light Frame Pulley				\$0.17
641.	$\frac{3}{4}$	"	Heavy Frame Pulley	• • • • • • • • • • • • • • • • • • • •			.20
642.	2	"	Polished Wheel, Painted Fro	ont, Frame Pulley			.30
650.	2	" "	Extra Heavy Polished Wheel	, Painted Front, l	Frame Pu	lley	.48
651.	$2\frac{1}{2}$	66	"	" "	4.6		.62
652.	$2\frac{1}{4}$	"	Extra Heavy Bronzed Face,	and Wheel Frame	Pulley	• • • • • • • • • • • •	.90
<b>65</b> 3.	2	£ 6	"	£ €			.75

#### WROUGHT IRON SHUTTER BOLTS.



No. 580. J.	PANNED PLA	TE. GALVANIZEI	Волт.	
Size         6           Per dozen         \$1.1           Each, with Screws	5 \$1.3		$^{10}_{\$1.75}_{.20}$	12 inch. \$2.00 .23
1	Го. 581. Ац	GALVANIZED.		
Size	\$1.70	8 \$2.10 .25	10 \$2.60 .30	12 inch. \$3.10 .35

#### FRANCE'S SHUTTER HOLDER.



OPEN OR STAYED BACK.

France's Shutter Holder does away with Bolts and Turnbuckles, and bows either Shutter independent of the other, at any desired angle.

NO. 705. JAPANNED.  7 8 Per dozen pairs, no Screws \$2.50 \$2.60 Per pair, with Screws	\$0.40	No. 706. GALVANIZED Sizes	8	10 \$4.25 ,45
--	--------	---------------------------	---	---------------------



#### FRSIWOLLENSAK'S PATENT TRANSOM LIFTER AND LOCK.

Class 3. Hung on Centres. Works either way. To "Pull Down," or, to "Push Up." Class 4. Hinged at Bottom.

With these devices, Transoms may be raised or lowered at will with great ease, and locked in any position. No other fastenings are required.

#### REQUIREMENTS.

For Dwellings . . . . . . use  $\frac{1}{4}$  in. | For Heavy Store . . . . use  $\frac{3}{8}$  in. For Offices.....use  $\frac{5}{16}$  in.

Extra Heavy Transoms, when Hinged either at Top or Bottom should have a Lifter on each side.

class no. 3.	PRICE EACH.	CLASS NO. 4.	PRICE EACH.
3 ft. $x_{\frac{1}{4}}$	\$0.75	3 ft. $x_{\frac{1}{4}}$	\$1.00
4 ft. $x_{16}^{-5}$	1.20	4 ft. $x_{16}^{5}$	
4 ft. $x \frac{3}{8}$	1.55	4 ft. x $\frac{3}{8}$	1.90

CLASS 3

CLASS 4.

(35)



\_\_\_Illustrated Catalogue2\_\_

OF

## Building Hardware.

J. B. SHANNON & SONS,

1009

Market Street,

1009

PHILADELPHIA, PENNA.